

Manufacturer: **MANUSA DOOR SYSTEMS**

Address: Av. Vía Augusta, 85-87, 6th Floor
08174 - Sant Cugat del Vallés
Barcelona, Spain
Tel +34 902 321 400
Fax +34 902 321 450
www.manusa.com

Product: Hybrid electrosensitive device to detect the presence and movement of people, ideally suited for installation in pedestrian automatic doors located at evacuation routes.

Models: **HYBRID SENSOR DDS-A**

Ref: A05037

HYBRID SENSOR DDS-B

Ref: A05038

Organisation notified: **TÜV NORD CERT** GmbH, Langemarckstrasse 20, D-45141 Essen, NB 0044,
EC-type-examination certificate No. 44 799 12 405836-001.

In this document we declare, under our sole responsibility, that the indicated and referenced product complies with the following European directives:

2006/42/CE	Machinery Directive
305/2011/CE	Construction Products Regulation
2004/108/CE	Electromagnetic Compatibility Directive
2006/95/CE	Low Voltage Equipment Directive
2011/65/CE	RoHS2 Directive

The following harmonised standards and technical specification standards have also been implemented:

EN 16005
UNE-EN 12978
AS 5007
DIN 18650
BS 7036

UNE-EN ISO 13849 Performance level:

HYBRID SENSOR DDS-A

Presence sensor: PL "d"

Movement sensor: PL "d"

HYBRID SENSOR DDS-B

Presence sensor: PL "c"

Movement sensor: PL "d"

Authorised representative:


MANUSA DOOR SYSTEMS

Av. Vía Augusta, 85-87, 6th Floor, 08174 – Sant Cugat del Vallès, Barcelona, Spain
Tel: +34 902 321 400 Fax: +34 902 321 450
www.manusa.com

The EC marking is included on the product to indicate its compliance with its essential applicable directives. This declaration of conformity implies that the installation and start-up of the device has been carried out according to the manufacturer's assembly, operation and maintenance instructions.



Josep Mª Guilera
Managing Director



Francesca Martínez
Product standardisation

Sant Cugat del Vallès, June 2015